
Installation 126-1

Keep small parts away from children. Assembly should be done by adults.

Hardware List		Hardware List	
 Seat	1	 Seat cover	1
 Backrest/Armrest	2	 Backrest/Armrest cover	2
 Back cushion	1	 Legs	4
 Support rods	4	 M8x50mm screw	8
 Buckle	1	 8x20mm screw	2

1



Screw on the legs.


2 Put on the seat cover.





Open the zipper first and close it once the cover is fully on.
The zipper end of the cover goes at the Velcro end of the seat cushion.


3 Put on the backrest/armrest covers.



4 Screw the support rods into the pre-drilled holes as shown.



5 The zipper side of the armrest faces the backrest.



6 Optional: join the seats with the connecting buckles.




Installation 126-2

Keep small parts away from children. Assembly should be done by adults.


Hardware List		Hardware List	
 Seat	1	 Seat cover	1
 Backrest	1	 Backrest cover	1
 Back cushion	1	 Legs	4
 Support rods	2	 M8x50mm screw	4
 Buckle	1	 8x20mm screw	2

1




Screw on the legs.

2 Put on the seat cover.



Open the zipper first and close it once the cover is fully on.
The zipper end of the cover goes at the Velcro end of the seat cushion.

3 Put on the backrest cover.



4 Screw the support rods into the pre-drilled holes as shown.



5



6 Optional: join the seats with the connecting buckles.

